FOOD NOISE RESET

A simple 7-day protocol to quiet the constant pull toward food, rebuild meal structure, and make eating feel easier again.

Less negotiating.
Less grazing.
More control.

Crystal Jones, PHDC
Performance & Recovery Education

What Is “Food Noise”?

“Food noise” is a common way people describe persistent thoughts, cravings, urges, or mental negotiations about food—even when they are not physically hungry. It is not a formal medical diagnosis, and the experience can have many contributors.

This reset is not about perfection, punishment, or eating as little as possible. The goal is to reduce the number of food decisions you have to make while creating meals that are satisfying enough to keep you out of the constant snack-and-crave cycle.

The 4-Part Reset

1. Structure Create predictable meals so you are not making food decisions all day.	2. Satiety Build meals around adequate protein and whole foods that actually satisfy you.
3. Environment Make impulsive eating less convenient and your planned food easier to access.	4. Recovery Sleep, stress, hydration, and movement all matter when cravings are loud.

Before You Start

- Choose a start date when you can reasonably control your food environment for seven days.
- Do not treat the reset as a starvation challenge. Eat enough to support your body and daily activity.
- You do not need to count calories, carbohydrates, or macros for this protocol.
- If you have diabetes, take glucose-lowering medication, are pregnant/breastfeeding, have a history of an eating disorder, or have another condition affected by dietary changes, discuss the plan with your healthcare professional first.

The 7-Day Reset Rules

Keep the rules simple. The fewer moving parts, the less mental energy food gets to consume.

RULE 01 — EAT REAL MEALS

For seven days, build your day around 2–3 intentional meals rather than continuous grazing. Choose the schedule that fits your life and hunger. A snack is not a failure if you genuinely need one.

RULE 02 — PROTEIN FIRST

Make a meaningful protein source the anchor of each meal: eggs, beef, chicken, turkey, fish, seafood, or another minimally processed protein you tolerate well.

RULE 03 — REMOVE THE DECISION TRAPS

For seven days, take highly tempting foods that reliably trigger overeating or repeated snacking out of your immediate environment. You are not declaring those foods “bad.” You are simply giving your brain fewer cues to negotiate with.

RULE 04 — NO “NAKED CARBS”

If you include a carbohydrate food, pair it with a real meal containing protein and, when appropriate, fat/fiber. The point is to make the meal satisfying rather than chasing a quick hit from a stand-alone snack.

RULE 05 — HYDRATE

Drink water regularly throughout the day. If you sweat heavily or exercise, pay attention to fluids and electrolytes as appropriate for you.

RULE 06 — CLOSE THE KITCHEN

After your final meal, create a clear transition: clean up, brush your teeth, make tea, take a shower, read, or start your evening routine. This helps separate “I am done eating” from “I am never allowed to eat again.”

RULE 07 — DO NOT START OVER

If you eat something outside your plan, the reset is not ruined. Your next decision is simply the next decision. Resume at the next meal.

Build a Meal That Actually Satisfies You

The purpose of this reset is not to create tiny “diet meals.” It is to make your meals satisfying enough that food does not have to stay on your mind all day.

THE SIMPLE PLATE FORMULA

PROTEIN Start here. Choose a substantial serving of meat, poultry, eggs, fish, or another protein source.	WHOLE-FOOD FAT Add enough fat to make the meal satisfying, based on your food preferences and needs.
PRODUCE / FIBER Use vegetables, fruit, or other whole-food carbohydrate sources if they work well for you.	FLAVOR Season it. Salt it appropriately. Make your food enjoyable enough that you do not feel deprived.

Easy Meal Ideas

- Breakfast: eggs + sausage or beef + optional fruit/vegetables
- Lunch: burger bowl or leftover meat + vegetables + a satisfying fat source
- Dinner: steak, chicken thighs, fish, or ground beef + vegetables or another whole-food side
- Fast option: rotisserie chicken, burger patties, hard-boiled eggs, sardines/kippers, or other simple protein you can grab without thinking

A useful question: “If I finish this meal, will I feel like I actually ate?” If the answer is no, the meal may need more protein, more volume, more fat, more fiber—or simply a better portion.

When Food Noise Hits

Do not automatically obey the urge—and do not automatically fight it. Pause long enough to figure out what is actually happening.

THE 10-MINUTE RESET

1	PAUSE Do not open the pantry or delivery app yet. Give yourself 60 seconds.
2	CHECK Ask: Am I physically hungry, thirsty, tired, stressed, bored, or simply responding to a cue?
3	WATER Drink some water and step away from the kitchen.
4	CHANGE STATE Walk outside, stretch, shower, brush your teeth, make tea, or do a 5–10 minute task.
5	DECIDE If you are still genuinely hungry, eat a planned meal or simple protein-based option. If the urge passed, move on.

If You Are Actually Hungry

- Eat. The goal is not to train yourself to ignore legitimate hunger.
- Choose something substantial rather than turning hunger into a long internal debate.
- If hunger repeatedly shows up between meals, review your previous meal: was it large enough and protein-forward enough?

If It Is an Urge

- Name it: “This is an urge, not an emergency.”
- Remember that an urge can rise and fall without being acted on.
- Change your environment before relying on willpower.

Set Up Your Environment

Willpower is a poor long-term strategy when your environment constantly asks you to make decisions. Make the default choice easier.

7-MINUTE KITCHEN RESET

- Move your personal trigger foods out of immediate sight or out of the house for the seven-day experiment.
- Put your planned proteins and easy meals where you can see them first.
- Prep at least one protein source ahead of time.
- Keep a water bottle or glass within reach.
- Create one designated place for food—and try not to eat while standing at the counter, in the car, or directly from a package.

YOUR “NO-THINK” FOOD LIST

Choose 3–5 foods you can eat without a lot of planning. Examples: burger patties, eggs, chicken thighs, steak, canned fish, leftovers, fruit, or simple vegetables. Your list should reflect foods you actually enjoy and tolerate.

YOUR EVENING PLAN

- Decide your final meal before the evening gets busy.
- Have a non-food activity ready for your usual snack window.
- Limit scrolling through food content if it reliably increases cravings.
- Protect your sleep opportunity. A tired brain often has a harder time resisting highly rewarding food cues.

Your 7-Day Road Map

DAY 1	Clean up the environment. Choose your meal schedule. Stock your easy proteins.
DAY 2	Practice protein-first meals. Notice when food thoughts appear without judging them.
DAY 3	Use the 10-minute reset at least once. Identify your biggest food-noise trigger.
DAY 4	Repeat your simplest meals. Fewer decisions is a feature, not a failure.
DAY 5	Review sleep, stress, hydration, and movement. Look for non-food drivers of cravings.
DAY 6	Practice flexibility. A meal that differs from plan does not require a restart.
DAY 7	Reflect. What foods, routines, and environments made eating feel easier?

7-Day Reflection

- When was food noise the loudest? _____
- What seemed to quiet it? _____
- Which meal kept me satisfied the longest? _____
- What environment or habit made eating harder? _____
- What will I continue next week? _____

The goal is not to finish seven days and immediately return to the habits that created the problem. Keep the pieces that made your life easier.

After the Reset

The reset is an experiment—not a punishment and not a lifelong set of rules. At the end of seven days, keep what worked and loosen what did not.

KEEP

- Meal structure that reduced grazing
- Protein-forward meals that kept you satisfied
- A calmer kitchen environment
- A short pause before acting on cravings
- A consistent evening transition

RECONSIDER

- Any rule that made you obsess over food more, rather than less
- Any approach that left you consistently weak, dizzy, excessively hungry, or unable to function normally
- Any restriction that turns one off-plan choice into an all-or-nothing spiral

WHEN TO GET PROFESSIONAL HELP

Persistent or distressing food thoughts can be influenced by many factors, including sleep, stress, medications, blood-glucose regulation, mental health, eating patterns, and other medical conditions. If food preoccupation is severe, interferes with daily life, or is accompanied by bingeing, purging, significant restriction, or fear around eating, seek help from an appropriately qualified healthcare or eating-disorder professional.

IMPORTANT DISCLAIMER

This guide is for general education and behavior-change support. It is not individualized medical or nutrition treatment and does not diagnose, treat, or cure any disease. Dietary needs vary. If you have a medical condition or take medication affected by food intake, fasting, hydration, or blood glucose, consult your healthcare professional before making significant changes.

Want more support?

Cornerstone Health Coaching
getcornerstonehealth@outlook.com | https://www.faithfullyfitcoaching.com
Performance & Recovery Education
Metabolic Reset Blueprint • Self-paced education • Coaching support

What are you actually trying to accomplish?